

Marketed By



SUPER SERVE

E-MECH PVT. LTD.

PRODUCT CATALOGUE

LED PANEL LIGHT



(DM-101) Glow Premia Panel

WATT	CUTOUT	OUTER	COLOUR
8W	105 mm	120 mm	WH/NW/WW/3 IN 1
12W	125 mm	145 mm	WH/NW/WW
15W	150 mm	170 mm	WH/NW/WW/3 IN 1
18W	180 mm	190 mm	WH/NW/WW
22W	205 mm	220 mm	WH/NW/WW/3 IN 1
30W	280 mm	300 mm	WH
40W	595 mm	595 mm	WH/NW

* 40 W (2 X 2) available in Sq Shape



(DM-102) Glow Premia Surface

WATT	OUTER	COLOUR
8W	110 mm	WH/NW/WW
15W	170 mm	WH/NW/WW
22W	220mm	WH/NW/WW
30W	300 mm	WH
40W	595 mm	WH/NW



(DM-103) Nexus Rimless Panel

WATT	CUTOUT	OUTER	COLOUR
8W	70 mm	85 mm	WH/NW
15W	120 mm	145 mm	WH/NW
22W	150 mm	175 mm	WH/NW



(DM-104) Nexus Rimless Surface

WATT	OUTER	COLOUR
8W	85 mm	WH/NW
15W	145 mm	WH/NW
22W	175 mm	WH/NW

LED PANEL LIGHT



(DM-105) Passion Deep AL

WATT	CUTOUT	OUTER	COLOUR
12W	105 mm	120 mm	WH / NW / WW / 3 in 1
18W	145 mm	150 mm	WH / NW / WW / 3 in 1
24W	165 mm	175 mm	WH



(DM-106) Eco Deep PC

WATT	CUTOUT	OUTER	COLOUR
8W	105 mm	120 mm	WH / NW / WW / 3 in 1
15W	130 mm	150 mm	WH / NW / WW / 3 in 1
22W	155 mm	175 mm	WH / NW / WW / 3 in 1



(DM-107) Rio Deep Reflector Panel

WATT	CUTOUT	OUTER	COLOUR
12W	110 mm	120 mm	WH / NW / WW / 3 in 1
18W	145 mm	150 mm	WH / NW / WW / 3 in 1



(DM-108) Rio Deep Reflector Surface

WATT	COLOUR
12W	WH / NW / WW / 3 in 1
18W	WH / NW / WW / 3 in 1

* Reflector available : Rose Gold, Shining Black

LED PANEL LIGHT



(DM-109) Galaxy Panel

WATT	CUTOUT	OUTER	COLOUR
4W	65 mm	85 mm	WH / NW / WW
8W	105 mm	120 mm	WH / NW / WW / 3 IN 1
15W	155 mm	170 mm	WH / NW / WW / 3 IN 1
22W	205 mm	220 mm	WH / NW / WW / 3 IN 1
30W	275 mm	300 mm	WH



(DM-110) Galaxy Surface

WATT	OUTER	COLOUR
8W	110 mm	WH / NW / WW
15W	160 mm	WH / NW / WW
22W	220 mm	WH / NW / WW
30W	295 mm	WH



(DM-111) Shine PC Panel

WATT	CUTOUT	OUTER	COLOUR
8W	100 mm	120 mm	WH / NW / WW / 3 in 1
15W	125 mm	145 mm	WH / NW / WW / 3 in 1
15W	150 mm	170 mm	WH / NW / WW / 3 in 1
22W	150 mm	170 mm	WH / NW / WW / 3 in 1




(DM-112) Moon PC Surface

WATT	OUTER	COLOUR
8W	100 mm	WH / NW / WW
15W	125 mm	WH / NW / WW
22W	150 mm	WH / NW / WW

*Also Ring available for surface

LED PANEL LIGHT



(DM-113) Star Colour Panel + Jelly Panel


WATT	CUTOUT	OUTER	COLOUR
3+3W	65 mm	100 mm	WH+PGB
6+3W	100 mm	145 mm	WH+PGB
12+4W	150 mm	195 mm	WH+PGB

* 3+3W & 6+3W RD PGB also available in Jelly Design



(DM-114) Star Colour Surface

WATT	OUTER	COLOUR
3+3W	100 mm	WH+PGB
6+3W	145 mm	WH+PGB
12+4W	195 mm	WH+PGB



(DM-115) Nova Color Junction

WATT	CUTOUT	COLOUR
7+7 W	50 mm	WH+PGB/BL/WW/PK/GREEN/RED
12+12 W	50 mm	WH+PGB/BL/WW/PK/GREEN/RED



(DM-116) Flexa Adjustable

WATT	SIZE(CUTOUT)	OUTER	COLOUR
9W	50-70 mm	85 mm	WH / NW / 3 in 1
18W	50-100 mm	120 mm	WH / NW / 3 in 1
24W	50-150 mm	170 mm	WH / 3 in 1


LED MAGNETIC LIGHTS



(DM-201) Ultra Slim Surface Mounted Track

ITEM	MATERIAL
1M	Aluminum
2M	Aluminum
Track Cover	PC Dust proof

* Input Voltage: DC 48V



(DM-202) Connector for Surface Mounted

ITEM	APPLICATION
Thin straight connector	For straight track connector
Thin 90 connector	For 90 track connector
Cover box	To cover the input cable

* Use in Surface track



(DM-203) Recessed Mounted Track Patti

ITEM	MATERIAL	SIZE
1M	Aluminum	30*27.6mm
2M	Aluminum	30*27.6mm
3M	Aluminum	30*27.6mm
Spring	Iron	

* Input Voltage: DC 48V



(DM-204) Connector for Recessed Mounted

ITEM	APPLICATION
Thick straight connector	Straight track connector
Thick 90 connector	90 track connector for same surface
Thick 90 connector	90 track connector for wall to ceiling

* Use in Recessed Track



(DM-205) Power Supply

WATT	MATERIAL
100W	Alum + PC + Copper
200W	Alum + PC + Copper



(DM-206) Magnetic Linea Light

WATT	SIZE
6W	L158*W26*H25mm
12W	L273*W26*H25mm
18W	L387*W26*H25mm
24W	L500*W26*H25mm

* CCT : 4000K

LED MAGNETIC LIGHTS



(DM-207) Magnetic Profile Light

WATT	SIZE
12W	L273*W26*H25mm
18W	L387*W26*H25mm
24W	L615*W26*H25mm

* CCT : 4000K



(DM-208) Magnetic Track Light

WATT	SIZE
12W	Φ 45*110mm
20W	Φ 55*135mm
30W	Φ 65*135mm

* CCT : 4000K



(DM-209) Magnetic Foldable Linea

WATT	SIZE
6W	L135*W33*H50mm
12W	L250*W33*H50mm
18W	L365*W33*H50mm

* CCT : 4000K



(DM-210) Magnetic Hanging Light

WATT	SIZE
12W	Φ40*300mm

* CCT : 4000K



(DM-211) Corner Light with Connector

WATT	SIZE	APPLICATION
15W	165*W137*H25mm	Useful for corner track
20W	280*W255*H25mm	Useful for 90 track

* CCT : 4000K



(DM-212) Straight Light with Connector

WATT	SIZE	APPLICATION
18W	L387*W26*H25mm	Useful for 2 straight track

* CCT : 4000K

* This light doesn't need additional connector for power supply from 1 track to 2 track

LED COB LIGHT



(DM-301) Aqua Button

WATT	BODY COLOUR	COLOUR	CUTOUT
1W	WH	WH /WW /BL / PK / GR	25 mm
1W	BK	WW	25 mm
1W	BK+RG	WW	25 mm
3W	WH	WH /WW /BL / PK / GR	28 mm
3W	BK+RG	WW	28 mm



(DM-302) Crown Button

WATT	BODY COLOUR	COLOUR	CUTOUT
3W	Rose Gold	WH / NW/ WW	28 mm
3W	Black	WH / NW/ WW	28 mm
3W	White	WH / NW/ WW	28 mm



(DM-303) Alto PC COB

WATT	CUTOUT	OUTER	COLOUR
3W	55 mm	70 mm	WH / WW / NW/ BL/ PK/ RED/ GR/ RGB/ 3 in 1
6W	70 mm	90 mm	WH / WW / BL/ PK/ GR
9W	85 mm	115 mm	WH / WW



(DM-304) Luster AL COB

WATT	CUTOUT	COLOUR
3W	55 mm	WH / WW / NW
7W	70 mm	WH / WW / NW
12W	70 mm	WH / WW / NW
18W	90 mm	WH / WW / NW
24W	115 mm	WH / WW / NW
30W	115 mm	WH / WW / NW
50W	135 mm	WH / WW / NW

LED COB LIGHT



(DM-305) Delta COB

WATT	CUTOUT	COLOUR
7W	55 mm	WH / WW / NW / 3in1
12W	75 mm	WH / WW / NW / 3in1
18W	80 mm	WH / WW / NW / 3in1



(DM-306) Glitter COB

WATT	CUTOUT	COLOUR
7W	55 mm	WH / WW / NW / 3in1
12W	70 mm	WH / WW / NW / 3in1
18W	80 mm	WH / WW / NW / 3in1

*Dimmable & Tunable also available



(DM-307) Creta COB

WATT	CUTOUT	COLOUR
7W	60 mm	WH / WW / NW / 3in1
12W	75 mm	WH / WW / NW / 3in1
18W	85 mm	WH / WW / NW / 3in1



(DM-308) Lucent COB

WATT	CUTOUT	COLOUR
7W	55 mm	WH / WW / NW / 3in1
12W	70 mm	WH / WW / NW / 3in1
18W	85 mm	WH / WW / NW / 3in1

LED COB LIGHT



(DM-309) Neo COB

WATT	CUTOUT	COLOUR
12W	55 mm	WH/NW/WW
18W	75 mm	WH/NW/WW
24W	95 mm	WH/NW/WW



(DM-310) Mudo COB

WATT	CUTOUT	COLOUR
12W	75 mm	3in1



(DM-311) Magic COB

WATT	CUTOUT	COLOUR
7W	55 mm	WH/NW/WW
12W	75 mm	WH/NW/WW



(DM-312) Curve COB

WATT	CUTOUT	COLOUR
12W	45 mm	WH/NW/WW



(DM-313) Flora COB

WATT	BODY COLOUR	CUTOUT	COLOUR
12W	RG/ SB/ WH	75 mm	WH/NW/WW



(DM-314) Bullet COB

WATT	CUTOUT	COLOUR
7W	35 mm	WH/NW/WW/3in1
12W	55 mm	WH/NW/WW/3in1

LED COB LIGHT



(DM-315) Titan Pull Out

WATT	CUTOUT	COLOUR
12W	75 mm	NW



(DM-316) Prisma Double Pull-Out

WATT	CUTOUT	COLOUR
2*7W	126*65 mm	WH/NW/WW
2*12W	178*88 mm	WH/NW/WW



(DM-317) Linea COB

MODEL	WATT	CUTOUT	COLOUR
3 EYE	6W	85*35 mm	WH / NW / WW
5 EYE	10W	135*35 mm	WH / NW / WW



(DM-318) XL Linea COB

WATT	MODEL	CUTOUT	COLOUR
12W	3 EYE	128*50 mm	WH/NW/WW
16W	4 EYE	85*85 mm	WH/NW/WW
20W	5 EYE	206*50 mm	WH/NW/WW

* WH colour available on order basis



(DM-319) Neo 360 Conceal

WATT	COLOUR	CUTOUT
7W	WH/NW/WW	38 mm



(DM-320) Ornate Double COB

WATT	CUTOUT	COLOUR
2*7W	55*115 mm	WH/NW/WW
2*12W	75*240 mm	WH/NW/WW

LED COB LIGHT



(DM-321) Plasma Cylinder Movable Cylinder COB

WATT	COLOUR	WATT	COLOUR
7W	WH / WW / NW / 3in1	12W	WH / WW / NW
12W	WH / WW / NW / 3in1		
18W	WH / WW / NW		

* Reflector available : Rose Gold, Shining Black




(DM-322) Nova Shiny Cylinder

WATT	COLOUR
12W	WH / WW / NW / 3in1



(DM-323) Luxa IP65 cylinder

WATT	COLOUR
12W	WH / WW / NW
18W	WH / WW / NW



(DM-324) Luma Rimless Cylinder

WATT	CUTOUT	COLOUR
12W	70*50 mm	WH/NW
18W	90*50 mm	WH/NW
24W	120*50 mm	WH/NW



(DM-325) Twist Cylinder

WATT	COLOUR
12W	WH / NW / WW



(DM-326) Lumos 360° Cylinder

WATT	COLOUR
7W	WH / NW / WW



(DM-327) Oreo Wall

WATT	COLOUR
12W	WH/NW/WW



(DM-328) Platinum Wall/Track Light

WATT	COLOUR
12W	WH/NW/WW



(DM-329) Glanza Track Light Track Patti

WATT	COLOUR	METER
12W	WH / WW / NW	1 M
20W	WH / WW / NW	2 M
30W	WH / WW / NW	I Jointer
		L Jointer



(DM-330) Glanza Wall Light

WATT	COLOUR
3W	WH / WW / NW
6W	WH / WW / NW
9W	WH / WW / NW
12W	WH / WW / NW
20W	WH / WW / NW
30W	WH / WW / NW

SMPS & STRIP LED



(DM-401(A)) ATOM SMPS
(100% Output)



(DM-401(B)) Orbit SMPS
(80% Output)

Available in 2A , 3A , 5A , 10A , 12.5A , 16.5A , 25A , 33.3A

* Operating Voltage : 12V



(DM-402) SPARK WP Driver

Available in 2A , 3A , 5A , 10A

* Operating Voltage : 12V



(DM-403(A)) Brite Strip

MODEL	WIDTH	COLOUR
2835 - 120L	5 mm	WH / NW / WW
2835 - 120L	8 mm	WH / NW / WW / BL / PK / RED / GR / AMBER / ICE-BLUE/ 3in1
2835 - 240L	10 mm	WH / NW / WW / BL / PK / RED / GR / AMBER / ICE-BLUE
2835 - 180L		3in1
5050 - 120L		RGB
Neon		All Color

(DM-403(B)) Fusion Strip (Heavy)

MODEL	WIDTH	COLOUR
2835 - 240L	10 mm	WH /NW/ WW



(DM-404) LED Profile Housing

SIZE	DEPTH	TYPE
5 mm	5mm	Conceal / Surface
10 mm	10mm	Conceal / Surface
17mm	6mm	Conceal / Surface
25 mm	6mm	Conceal / Surface
35 mm	12mm	Conceal / Surface
50 mm	35mm	Conceal / Surface
17 mm		Corner Profile

17 mm in BK Patti & Diifuser Black OR White

LED ROPE LIGHT



(DM-405) LED Rope Light Premium

MODEL	COLOUR
2835 Wireless	WH / WW / BL / RED / GR / PK / AMBER / ICE-BLUE / 6 COLOR RGB
5050	16 COLOR RGB

*** Rope cord for each model available**

AVAILABLE COLOUR





(DM-501) Blossom Spike (IP65)

WATT	COLOUR
3W	WW/BL/RED/GR
5W	WW/BL/RED/GR/RGB
9W	WW/BL/RED/GR
12W	WW / RGB




(DM-502) LED Mirror Light

WATT	COLOUR	TYPE
6W	WH/WW	SLIM / CURVE
12W	WH/WW	SLIM / CURVE



(DM-503) LED Mirror Light

WATT	COLOUR
16+2W	3 IN 1



(DM-504) LED Mirror Light

WATT	COLOUR
6W	3 IN 1
12W	3 IN 1

Extended Range



(DM-505) Crest K Light

WATT	COLOUR
5	WW
10	WW



(DM-506) LED Study Lamp Light

WATT	COLOUR
3	WW/ WH



(DM-507) Alfresco Bulkhead

WATT	COLOUR
9	WH/WW
18	WH/WW



(DM-508) Vertex Junction

WATT	COLOUR
3	WH/WW/BL/PK/RED/GR/3in1/RGB
7	WH/WW/BL/PK/RED/GR/3in1/RGB

Extended Range



(DM-509(A))Pivot Striker

WATT	COLOUR
3	WH/WW/BL/PK/ RED/GR

(DM-509(B)) Pivot Striker IP65

WATT	COLOUR
3	WW
6	WW



(DM-511) LED Wall Cylinder Light

WATT	COLOUR
5	WW
10	WW



(DM-513) LED Tube Light

WATT	COLOUR	LENGTH
20W	WH	4FT
36W	WH	4FT



(DM-510) LED Foot Light

MODEL	COLOUR	TYPE
1 M	WW	Conceal
2 M	WW	Conceal / Surface
4 M	WW	Conceal / Surface
6 M	WW	Conceal



(DM-512) LED Surface COB Light


WATT	COLOUR	BODY COLOUR
3	WW	BK / WH / WOODEN



(DM-514) LED Cabinet Light

SIZE	COLOUR
1FT	WH/WW/NW
2FT	WH/WW/NW
3FT	WH/WW/NW
4FT	WH/WW/NW

OUTDOOR WALL LIGHT




(DM-601) Way Up-Down

ITEM	COLOUR
1*1	WW / RGB / RGB Auto
2*2	WW / RGB / RGB Auto
3*3	WW / RGB / RGB Auto
4*4	WW / RGB / RGB Auto




(DM-602) 4 Way Ball

ITEM	COLOUR
4 Way Ball	WW
4 Way Ball	RGB Fix
4 Way Ball	RGB Auto
4 Way Ball	3in1




(DM-603) 2 Way Ball

ITEM	COLOUR
2 Way Ball	WW
2 Way Ball	RGB Fix



(DM-604) 6 Way Flower

ITEM	COLOUR
6 WAY FLOWER	WW
6 WAY FLOWER	RGB Fix



(DM-605) Wall Up-Down

ITEM	COLOUR
Wall Up	WW
Wall Up-Down	WW



(DM-606) lifa Award

ITEM	COLOUR
lifa Award	WW

LED STREET LIGHT



Vista Street Light (DM-701)

Optix Street Light (DM-702)

Wattage	24W	36W	50W	72W	100W	150W
I/P Voltage Range	AC 85-300V@50Hz					
Color Temperature	3000-6500 K					
CRI	>80					
Lumens	Up to 140 lumens/Watt					
Ingress Protection	IP65					
Surge Protection	Internal surge upto 6kv. External 10kv as per Required					
Operation Temp	-10° to 50° C					
Housing	Die Cast Aluminum					
Protection	Over Voltage Protection , Above 320V Auto Cutoff Short Circuit Protection , Over Temperature Protection					
Power Factor	>0.90					
Warranty	2 Years					

Applications



Streets



High Way



Petrol Pump



Railway Station



Parking



Factory



Infinia Model

(DM-703)

Wattage-Flood	30W	45W	50W	72W	100W	150W	200W	250W
Wattage-Street	24W	36W	45W	50W	100W	150W	200W	
I/P Voltage Range	AC 85-300V@50Hz							
Color Temperature	3000-6500 K							
CRI	>80							
Lumens	OSRAM / BRIDGELUX 5050 LED							
Ingress Protection	IP65							
Surge Protection	Internal surge upto 6kv. External 10kv as per Required							
Operation Temp	-10° to 50° C							
Housing	Die Cast Aluminum							
Protection	Over Voltage Protection , Above 320V Auto Cutoff Short Circuit Protection , Over Temperature Protection							
Power Factor	>0.90							
Warranty	2 Years							

Applications



Streets



High Way



Petrol Pump



Railway Station



Parking



Stadium



Airport



Factory

LED FLOOD LIGHT



Prism Flood (DM-801)

Optix Flood (DM-802)

Wattage-Prism Flood	30W	50W	100W	150W	200W	250W	300W	350W	400W
Wattage-Optix Flood	50W	100W	150W	200W					
I/P Voltage Range	AC 85-300V@50Hz								
Color Temperature	3000-6500 K								
CRI	>80								
Lumens	Up to 140 lumens/Watt								
Ingress Protection	IP65								
Surge Protection	Internal surge upto 6kv. External 10kv as per Required								
Operation Temp	-10° to 50° C								
Housing	Die Cast Aluminum								
Protection	Over Voltage Protection , Above 320V Auto Cutoff Short Circuit Protection , Over Temperature Protection								
Power Factor	>0.90								
Warranty	2 Years								

Applications



Petrol Pump



Railway Station



Parking



Stadium



Airport



Factory



LED FLOOD LIGHT



Harmony Flood (DM-803)

Invicto High Power Lens Flood (DM-804)

Wattage-Harmony	30W	50W	100W	150W	200W	250W	300W	350W	400W	500W	600W
Wattage-Invicto	100W	200W	300W	400W	500W	600W					
I/P Voltage Range	AC 85-300V@50Hz										
Color Temperature	3000-6500 K										
CRI	>80										
Lumens	Up to 140 lumens/Watt										
Ingress Protection	IP65										
Surge Protection	Internal surge upto 6kv. External 10kv as per Required										
Operation Temp	-10°to 50° C										
Housing	Die Cast Aluminum										
Protection	Over Voltage Protection , Above 320V Auto Cutoff Short Circuit Protection , Over Temperature Protection										
Power Factor	>0.90										
Warranty	2 Years										

Applications



Petrol Pump



Railway Station



Parking



Stadium



Airport



Factory



LED FLOOD LIGHT



Spectrum Duos Flood (DM-805)

Rainbow RGB Flood (DM-806)

Wattage-Spectrum	150W 2 IN 1	200W 2 IN 1	200W 3 IN 1
Wattage-Rainbow	50W	100W	200W
I/P Voltage Range	AC 85-300V@50Hz		
Color Temperature	3000-6500 K		
CRI	>80		
Lumens	Up to 140 lumens/Watt		
Ingress Protection	IP65		
Surge Protection	Internal surge upto 6kv. External 10kv as per Required		
Operation Temp	-10° to 50° C		
Housing	Die Cast Aluminum		
Protection	Over Voltage Protection , Above 320V Auto Cutoff Short Circuit Protection , Over Temperature Protection		
Power Factor	>0.90		
Warranty	2 Years		

Applications



Petrol Pump



Railway Station



Parking



Stadium



Airport



Factory



LED HIGH BAY LIGHT



Crome HighBay (DM-901)

Lenza Well Glass (DM-902)

Wattage - Crome	50W	100W	150W	200W	250W	300W
Wattage - Lenza	50W	80W	150W			
I/P Voltage Range	AC 85-300V@50Hz					
Color Temperature	3000-6500 K					
CRI	>80					
Lumens	Up to 140 lumens/Watt					
Surge Protection	Internal surge upto 6kv. External 10kv as per Required					
Operation Temp	-10° to 50° C					
Housing	Die Cast Aluminum					
Protection	Over Voltage Protection , Above 320V Auto Cutoff Short Circuit Protection , Over Temperature Protection					
Power Factor	>0.90					
Warranty	2 Years					

Applications



Railway Station



Stadium



Airport

LED SOLAR STREET LIGHT ALL IN ONE



Photon Single Side (DM-1001)

Solarix Double Side (DM-1002)

Wattage-Photon	30W	60W	90W	120W
Wattage-Solarix	50W	75W	100W	
Charging Time	6-8 HOURS			
Sustainable Lighting	8-10 HOURS			
Battery Type	Lithium iron phosphate			
Radar & Remote Control System:	Radar Sensor Functionality: This advanced radar sensor intelligently adjusts lighting based on movement. When it detects the presence of people, it activates at full brightness (100%). In the absence of movement, it conserves energy by dimming to a soft 30% brightness. Always-On Mode: For situations requiring constant illumination, the system can be set to "Always On" mode, providing full brightness at all times. This combination of features ensures optimal lighting while maximizing energy efficiency.			
Material	ABS+PC			

- Day Light Sensor
- PIR Sensor
- With Remote Control
- IP 65



Streets



High Way



Petrol Pump



Railway Station



Parking



Factory




IS 10322 (PART 5/SEC 3) : 2012



72003840

Solar Street Light - Premium Models



All in One

Solar LED Street Light

(DM-1003)


Semi Integrated

Solar LED Street Light


(DM-1004)

Wattage	12W	15W	18W	24W	30W	40W	50W	60W	80W	100W
Battery Capacity	6AH	12AH	18AH	24AH	36AH	42AH	48AH			
Battery Voltage	12.8V , 25.6V									
Battery Type	Lifepo4									
Solar Panel	40W-200W									
Sensor	Auto Dusk to Down Sensor , Motion Sensor , Programmable Dimming									

PCB



Panel Light PCB



Flood Light PCB



Street Light PCB

- Product Parameters
- 01. Board Thickness: 0.7-2.0 mm
 - 02. Solder Mask Colour: Blue White, Rise White, Green, Blue, Red, Black
 - 03. Legend Colour: White, Yellow, Black, Green
 - 04. Material : FR-1, FR-4, Metal core Aluminum PCB (MCPCB)
 - 05. Copper Thickness of Base Material: 15micron, 18micron, 25micron, 35micron
 - 06. Withstand Voltage : 1000-4000V
 - 07. Thermal Conduction: 0.6W-3W

- PCB Design
- PCB Manufacturing
- PCB Assembly
- All Types of Light Solutions

SOLAR NEW ITEM



Solar Motion Wall Light

AVAILABLE COLOUR
WH



Solar Motion 4-Way Wall Light

AVAILABLE COLOUR
WH



Solar UFO Lamp

AVAILABLE COLOUR
WW + RGB



Solar V-Shape Wall Light

AVAILABLE COLOUR
RGB



Solar UP-DOWN Wall Light

AVAILABLE COLOUR
WW



Solar Step Wall Light

AVAILABLE COLOUR
WH + WW



Solar Motion Sensor Detector Light

AVAILABLE COLOUR
WH



Solar Moonlit Pathway Light

AVAILABLE COLOUR
WW



Solar Pathway Light

AVAILABLE COLOUR
WW



Solar Lanter Light

AVAILABLE COLOUR
WW



Solar Mashaal Light

AVAILABLE COLOUR
WW



Solar Garden Light

AVAILABLE COLOUR
WW / RGB



Solar Jellyfish Light

AVAILABLE COLOUR
Colorful



Solar Big Disc Light

AVAILABLE COLOUR
RGB



Solar RGB Flower Light

AVAILABLE COLOUR
RGB



Solar Crystal Ball Light

AVAILABLE COLOUR
Colourful



Solar Sun Flower Light

AVAILABLE COLOUR
Colorful



Solar Strings Light

AVAILABLE COLOUR
WW



SUPER SERVE
E-MECH PVT. LTD.

Register Office :

507, 5th Floor, Skylar, Nr. Shalin Bungalows,
Opp. Auda Talav, Prahladnagar,
Ahmedabad - 380015.

Sales Office :

8, Sonal Tenament, Sonal Char Rasta,
Gurukul Road, Memnagar,
Ahmedabad - 380052.

+91-99250 45986 | +91-96016 26170

info@superserveemech.com

www.superserveemech.com